

Phone : Off. 23353245, 23316656, 23315677 Resi. : 25706166

Fax: 011-23351877

E-mail: csingh465@gmail.com Website: www.nftechq.co.in

NATIONAL FEDERATION OF TELECOM EMPLOYEES

BSNL

(Regn. No. 4906 dated 17/9/2001)
MS-II, Q. No. 21 & 17, Atul Grove Road, New Delhi-110001

TF-14/2(b)

Dated:-09-03-2018

Subject:- Review of the result of JE LICE held on 28-01-2018 and providing full marks for each wrong/out of syllabus questions.

Respected Madam,

We received several representations and letters from our union branches through which it has been noticed that the questions of JE(Erst while TTA) LICE was not at par the standard prescribed for the eligibility to appear in the examination. The educational qualification is prescribed 10+2 for the said examination, but after going through the question paper it seems that the questions have been selected of much higher standard. The feeder Cadre is field staff like TT(TM) and they have not acquainted with the higher technological education but the most of the questions are of the level of B. Tech standard.

We append below some questions I.D. which are out of syllabus, all options of answers are wrong, we request to kindly depute an expert committee to review the question paper at earliest and arrange to provide full marks to wrong/out of syllabus questions.

Paper I & II

QID-42-Which of the following is a storage	device.
QID-44-MICR stands for.	
QID-48-Which of the following produces the	e best quality graphics reproduction?.
QID-49-A Physical connection between th	e microprocessor memory and other parts of
the microcomputer is known as.	
a free Equipment Number is established.	een a free (unassigned) directory number and
QID-66-Two components responsible for d the of the wires.	eterioration of the performance of a cable are
QID-67-Duration is not a field in the CDR.	
QID-71-The facilities may be registered on	v at the time of creation
QID-78-There is absolutely no break in the	DC power supply in scheme
QID-79-Contrex facility is not possible for d	igital subscribers
QID-81-How to measure the temperature in	a VRLA cell?
QID-85-A telecom network may be	considered as a system consisting of
interacting subsystems.	de d'eyeteni conoicting of
QID-92-The secondary battery can be utilise	ed in way.
QID-95-In the display of trunk group is one of the characteristics displayed	
QID-96-The resistance of Earth Electrode shall not be more than	
QID-97-Signalling interface is one of the ba	sic block of SPC Exchange.
QID-100-The calls made to the	are charged at a higher rate than the normal
calls.	5 days and the morning
The following questions having all the options are wrong	
QID-41-Which is not a computer classification – The answer is wrong.	
QID-46-Which operation is not performed by	y computer?.
QID-47-ACSII stands for – Answer is wrong	
QID-50-Acomputer consists of – Answer is	wrong.
We feel that some more questions m	ay be wrong and out of syllabus.
Besides, the above the questions	s are much hard and even beyond the
understanding of an employee having 10+2 qualification, hence it is our earnest	
request to kindly arrange review and provide	e full marks for each discrepancy.
Mo will fool obligant if the area if t	
We will feel obliged if the needful may kindly be done at earliest in the matter.	
With deepest regards,	
Smt. Sujata T. Ray	Variable
Director (HR)	Yours sincerely,
BSNL, C.O.	
	Colm

New Delhi.

(Chandeshwar Singh)
General Secretary